

LibDispenser

24/7 access to library materials



LibDispenser

24/7 access to library materials

LibDispenser Features & Benefits

The mk LibDispenser is 100% fully automated allowing patrons to have access to various materials at any time without staff intervention. Patrons can conveniently browse available material (like books, CDs, DVDs, magazines, and games), check items out, return items with auto-reshelving, access account information, renewal, and place holds. Returned items will be reshelfed fully automatically and ensures immediate availability for check-out to the next patron. Staff doesn't have to manually reshelve items.

The modular system allows the library flexibility in the future and the system can be expanded in capacity at any time.

The LibDispenser is set up as a separate branch within your library system, making it customizable per library, their demands and needs. Modify the self-maintaining catalog design, receipts, accept returns from other branches, provide an additional pick-up location for hold items, and more. Patrons can search the library's catalog via a touchscreen interface, using a variety of filter and keyword options. Items are shown with full details (title, genre, subject, image, author, summary, MARC data, etc.) on the screen.

Both the indoor and outdoor models include an Uninterrupted Power Supply (UPS) to protect against voltage swings or interruptions. The outdoor model features a full climate control system (cooling, heating, dehumidifying) and a professional sealing concept to ensure an ideal climate inside the unit. A canopy with integrated LED-lights and optional cameras keep the system safe.



LibDispenser

24/7 access to library materials

LibDispenser Technical Data

- Base Module:

Retrieval Station: 9.5" in depth

Indoor Unit: 104" x 49" x 85"

Weight: 2,735 lbs net.

Outdoor Unit: 104" x 49" x 89"

Weight: 3,065 lbs net.

- Expansion Module:

Indoor Unit: 31.5" x 49" x 85"

Weight: 530 lb net.

Outdoor Unit: 31.5" x 49" x 89"

Weight: 620 lb net.

- Power & Network: 1 x 120V, 60Hz, 20A hard-wired + 1 x data, if outdoor, 1 x 120V, 60Hz for climate control kit
- Capacity: 1,000 storage positions
- Expansion Module: 384 storage positions
- Item Dimension per Tray: min. 3.9" x 3.9" x 0.2" | max. 12.6" x 8.7" x 3.5"
- Certifications: UL-listed, CE-certified

Additional Options:

- Interior unit with an exterior retrieval station
- Surveillance cameras
- Audio instructions
- Fine and fee payment
- Advertising opportunities
- Customized wraps/skin