

Return Station RS5T

Return and check items in instantly



Return Station RS5T

Return and check items in instantly

Return Station RS5T Features & Benefits

With the RS5T, materials are immediately checked-in, and security is automatically activated. Return stations can be mounted through interior or exterior walls and accept up to 1,500 items per hour, faster than systems that accept bulk returns and if an AMHS is connected, a 100% sorting accuracy can be provided. The return stations are UL-listed, OSHA/ADA/CDA-compliant, and CE-certified.


A scratch-resistant 17" high brightness touchscreen display offers instructional animations and clear messaging in multiple languages, which can be selected by the patron. Audio prompts are also available as an option.

Patrons are not required to scan their library cards to return items; however, for full account access (optional), patrons can enter their patron number, where they are able to view item due dates and renew items, for instance.


The library has options to enable or disable return features including, but not limited to printing a receipt, receiving an emailed receipt, or declining a receipt during the check-in process. Performance is monitored by LibManager software.



Exterior Drive-up Return



Exterior Walk-up Return with touchscreen



Interior Return with touchscreen

Return Station RS5T

Return and check items in instantly

Return Station RS5T Technical Data

- Standard return: 36" L x 24" W x 60" H | Weight 140 lbs.
- First RS5T: 1 x 120V, 60Hz + 2 x data
- Each additional RS5T or Staff Induction: one power and one data only
- Media measurements: min. 4" x 4" x 0.12" thick | max. 16" x 12" x 4" thick
- Media weight: min. 1.5 oz. | max. 11 lbs
- Speed: up to 1,500 items/hour
- Certifications: UL-listed, CE-certified